

SUPERIOR TUB ENCLOSURES
CUSTOM SHOWER DOORS

101-H WINDSOR PL, CENTRAL ISLIP, NY 11722
2025-E PORTER LAKE DR, SARASOTA, FL 34240
3348-B103 TRICKUM RD, WOODSTOCK, GA 30188

ARCHITECTS' SPECIFICATIONS

We at Quality Enclosures have an endless source of drawings of aluminum extrusions, hardware, and full enclosures. The following is just a sample of what we are capable of providing. Please feel free to call with any specific requests. Our qualified personnel can provide you with all the information you will need via mail, fax, or e-mail.

SPECIFICATIONS

GLASS

All glazing materials shall meet or exceed ANSI 297.1-1984 and CPSC Standard 16 CFR 1201 Category I and II.

ALUMINUM

Extruded shapes to be 6463-T6 or T5 depending on application.

FINISH

- Brite Silver-A1 Buffed and Anodized to AA-C31-A21 Specifications.
- Brite Brass-A1 Buffed and Anodized to AA-C31-A23 Specifications.

POWDER COAT

Modified Polymer to be thermo-set and cured at a minimum of 400 degrees fahrenheit as per AAMA-603 Specifications.

CLEAR POLYCARBONATE

Extruded Clear Lexan-141 meeting or exceeding the ASTM-D790 Flexural Strength Test and ASTM-D256 Izod Impact Test.

